



A World-Class Community of Learners

Allergy Action Plan

Student's Name: _____ D.O.B.: _____ Grade: _____

ALLERGY TO: _____ ICD code _____

Age of first reaction: _____ How many reactions has your child had: _____

How severe was your child's reaction: _____ mild _____ moderate _____ severe

Has asthma? Yes* No *higher risk for severe reaction

► STEP 1: SIGNS AND TREATMENT ◀

Symptoms:

Give Checked Medication

- | | | |
|--|--------------------------------------|--|
| ▪ If a food allergen has been ingested, but <i>no symptoms</i> | <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| ▪ Mouth Itching, tingling, or swelling of lips, tongue, mouth | <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| ▪ Skin Hives, itchy rash, swelling of the face or extremities | <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| ▪ Gut Nausea, abdominal cramps, vomiting, diarrhea | <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| ▪ Throat** Tightening of throat, hoarseness, hacking cough | <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| ▪ Lung** Shortness of breath, repetitive coughing, wheezing | <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| ▪ Heart** Thready pulse, low blood pressure, fainting, pale, blueness | <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |
| ▪ If reaction is progressing (several of the above areas affected), give | <input type="checkbox"/> Epinephrine | <input type="checkbox"/> Antihistamine |

The severity of symptoms can quickly change. **Potentially life-threatening.

DOSAGE – medication must be supplied in original bottle/box with student's name on it

1st Antihistamine: give _____

medication/dose/route

2nd Epinephrine: inject intramuscularly (circle one) EpiPen® Dose _____ EpiPen® Jr. Dose _____

(if given – must call 911)

3rd Other: _____

medication/dose/route

IMPORTANT: Asthma inhalers and/or antihistamines cannot be depended on to replace epinephrine in anaphylaxis.

Student knows how to self administer EpiPen: yes no Student may carry and administer EpiPen: yes no

Doctor's Signature _____ / _____ Date _____
(Signature Required) (Print name)

► STEP 2: EMERGENCY CALLS ◀

1. Call 911 (State if an allergic reaction has been treated with epinephrine)
2. Parents: _____ Phone: _____ Cell: _____
3. Emergency Contacts: (if unable to reach parent)
Name/Relationship: _____ Phone: _____ Cell: _____

I give permission to follow the above action plan and to share information with school staff and the healthcare provider about my child's medical condition so that they can work together to help my child manage his/her medical condition. This plan, when signed and dated allows my child's medicine to be administered at school as ordered by my child's licensed prescriber and on school field trips and remains current for this school year. I release the school personnel from liability in the event any reaction results from the medication. All medication will be sent home with the child at the end of the school year.

Parent/Guardian Signature _____ Date _____
(required)